

Package: iNZightTools (via r-universe)

October 12, 2024

Type Package

Title Tools for 'iNZight'

Version 2.0.1

Depends R (>= 4.0)

Imports dplyr (>= 1.1.0), DBI, forcats (>= 1.0.0), glue, grDevices, magrittr, methods, purrr (>= 1.0.0), readr (>= 1.2.0), rlang (>= 0.4.9), srvyr, stats, stringr, survey, tibble, tidyr (>= 1.3.0), tools, units, utils

Suggests chron, curl, dbplyr, expss, haven, jsonlite, knitr, lubridate, RCurl, readxl, RSQLite, styler, surveyspec, testthat (>= 3.0.0), tsibble, validate, yaml

Additional_repositories <https://r.docker.stat.auckland.ac.nz>

BugReports <https://github.com/iNZightVIT/iNZightTools/issues>

Contact inzight_support@stat.auckland.ac.nz

URL <https://inzight.nz>

Description Provides a collection of wrapper functions for common variable and dataset manipulation workflows primarily used by 'iNZight', a graphical user interface providing easy exploration and visualisation of data for students of statistics, available in both desktop and online versions. Additionally, many of the functions return the 'tidyverse' code used to obtain the result in an effort to bridge the gap between GUI and coding.

License GPL-3

Encoding UTF-8

Language en-GB

RoxygenNote 7.2.3

Config/testthat/edition 3

Config/Needs/dependencies tmelliott/surveyspec@develop, rcmdcheck, curl

Config/Needs/coverage tmelliott/surveyspec@develop, covr

Repository <https://inzightvit.r-universe.dev>

RemoteUrl <https://github.com/inzightvit/inzighttools>

RemoteRef HEAD

RemoteSha d660b84a7070f4730f92ca516ed5b6fbab75c7f9

Contents

add_suffix	3
aggregate_data	4
append_rows	6
code	7
collapse_cat	7
combine_vars	8
convert_to_cat	9
convert_to_date	10
convert_to_datetime	11
create_varname	11
create_vars	12
delete_vars	13
extract_dt_comp	13
extract_part	14
filter	15
filter_cat	15
filter_num	16
fitDesign	17
fitModel	18
form_class_intervals	19
inzdf	20
is_cat	21
is_dt	21
is_num	22
is_preview	22
is_survey	23
is_svydesign	23
is_svyrep	24
join_data	24
load_linked	25
load_rda	26
make_names	27
missing_to_cat	27
newdevice	28
Not In operator	29
Or NULL operator	29
print_code	30
random_sample	30

rank_vars	31
read_dictionary	32
read_meta	33
read_text	34
remove_rows	35
rename_levels	36
rename_vars	37
reorder_levels	38
reshape_data	39
save_rda	40
select	40
select_vars	41
separate_var	41
sheets	42
smart_read	43
sort_vars	44
standardize_vars	45
survey_IQR	46
tidy_all_code	47
transform_vars	47
validation_details	48
validation_summary	49
vartype	49
vartypes	50

Index 51

add_suffix	<i>Add suffix to string</i>
------------	-----------------------------

Description

When creating new variables or modifying the data set, we often add a suffix added to distinguish the new name from the original one. However, if the same action is performed twice (for example, filtering a data set), the suffix is duplicated (data.filtered.filtered). This function averts this by adding the suffix if it doesn't exist, and otherwise appending a counter (data.filtered2).

Usage

```
add_suffix(name, suffix)
```

Arguments

name	a character vector containing (original) names
suffix	the suffix to add, a length-one character vector

Value

character vector of names with suffix appended

Examples

```
add_suffix("data", "filtered")
add_suffix(c("data.filtered", "data.filtered.resaped"), "filtered")
```

aggregate_data	<i>Aggregate data by categorical variables</i>
----------------	--

Description

Summarizes non-categorical variables in a dataframe by grouping them based on specified categorical variables and returns the aggregated result along with the tidyverse code used to generate it.

Usage

```
aggregate_data(  
  data,  
  group_vars,  
  summaries,  
  vars = NULL,  
  names = NULL,  
  quantiles = c(0.25, 0.75)  
)
```

```
aggregate_dt(  
  data,  
  dt,  
  dt_comp,  
  group_vars = NULL,  
  summaries,  
  vars = NULL,  
  names = NULL,  
  quantiles = c(0.25, 0.75)  
)
```

Arguments

data	A dataframe or survey design object to be aggregated.
group_vars	A character vector specifying the variables in data to ' be used as grouping factors.

summaries	An unnamed character vector or named list of summary functions to calculate for each group. If unnamed, the vector elements should be names of variables in the dataset for which summary statistics need to be calculated. If named, the names should correspond to the summary functions (e.g., "mean", "sd", "iqr") to be applied to each variable.
vars	(Optional) A character vector specifying the names of variables in the dataset for which summary statistics need to be calculated. This argument is ignored if summaries is a named list.
names	(Optional) A character vector or named list providing name templates for the newly created variables. See details for more information.
quantiles	(Optional) A numeric vector specifying the desired quantiles (e.g., c(0.25, 0.5, 0.75)). See details for more information.
dt	A character string representing the name of the date-time variable in the dataset.
dt_comp	A character string specifying the component of the date-time to use for grouping.

Details

The `aggregate_data()` function accepts any R function that returns a single-value summary (e.g., mean, var, sd, sum, IQR). By default, new variables are named `{var}_{fun}`, where `{var}` is the variable name and `{fun}` is the summary function used. The user can provide custom names using the `names` argument, either as a vector of the same length as `vars`, or as a named list where the names correspond to summary functions (e.g., "mean" or "sd").

The special summary "missing" can be included, which counts the number of missing values in the variable. The default name for this summary is `{var}_missing`.

If `quantiles` are requested, the function calculates the specified quantiles (e.g., 25th, 50th, 75th percentiles), creating new variables for each quantile. To customize the names of these variables, use `{p}` as a placeholder in the `names` argument, where `{p}` represents the quantile value. For example, using `names = "Q{p}_{var}"` will create variables like "Q0.25_Sepal.Length" for the 25th percentile.

Value

An aggregated dataframe containing the summary statistics for each group, along with the tidyverse code used for the aggregation.

Functions

- `aggregate_dt()`: Aggregate data by dates and times

Author(s)

Tom Elliott, Owen Jin, Zhaoming Su
Zhaoming Su

See Also

[code](#)
[aggregate_data](#)

Examples

```
aggregated <-  
  aggregate_data(iris,  
    group_vars = c("Species"),  
    summaries = c("mean", "sd", "iqr")  
  )  
code(aggregated)  
head(aggregated)
```

append_rows	<i>Append rows to a dataset</i>
-------------	---------------------------------

Description

Append rows to a dataset

Usage

```
append_rows(data, new_data, when_added = FALSE)
```

Arguments

data	The original dataset to which new rows will be appended.
new_data	The dataset containing the new rows.
when_added	Logical; indicates whether a <code>.when_added</code> column is required.

Value

A dataset with new rows appended below the original data.

Author(s)

Yiwen He, Zhaoming Su

code	<i>Get Data's Code</i>
------	------------------------

Description

Used to grab code from a data.frame generated by this package.

Usage

```
code(data)
```

Arguments

data	dataset you want to extract the code from
------	---

Details

This is simply a helper function to grab the contents of the 'code' attribute contained in the data object.

Value

The code used to generate the data.frame, if available (else NULL)

Author(s)

Tom Elliott

collapse_cat	<i>Collapse data by values of a categorical variable</i>
--------------	--

Description

Collapse values in a categorical variable into one defined level

Usage

```
collapse_cat(data, var, levels, new_level, name = NULL)
```

Arguments

data	a dataframe to collapse
var	a string of the name of the categorical variable to collapse
levels	a character vector of the levels to be collapsed
new_level	a string for the new level
name	a name for the new variable

Value

the original dataframe containing a new column of the collapsed variable with tidyverse code attached

Author(s)

Zhaoming Su

See Also

[code](#)

Examples

```
collapsed <- collapse_cat(iris,
  var = "Species",
  c("versicolor", "virginica"),
  new_level = "V"
)
cat(code(collapsed))
tail(collapsed)
```

combine_vars

Combine variables into one categorical variable

Description

Combine chosen variables of any class by concatenating them into one factor variable, and returns the result along with tidyverse code used to generate it.

Usage

```
combine_vars(
  data,
  vars,
  sep = ":",
  name = NULL,
  keep_empty = FALSE,
  keep_na = TRUE
)
```

Arguments

data	a dataframe with the columns to be combined
vars	a character vector of the variables to be combined
sep	a character string to separate the levels

name	a name for the new variable
keep_empty	logical, if FALSE empty level combinations are removed from the factor
keep_na	logical, if TRUE the <NA> in the factors or NA in the characters will turn in a level "(Missing)"; otherwise, the resulting entries will return <NA>

Value

original dataframe containing new columns of the new categorical variable with tidyverse code attached

Author(s)

Owen Jin, Zhaoming Su

Examples

```
combined <- combine_vars(warpbreaks, vars = c("wool", "tension"), sep = "_")
cat(code(combined))
head(combined)
```

convert_to_cat	<i>Convert variables to categorical variables</i>
----------------	---

Description

Convert specified variables into factors

Usage

```
convert_to_cat(data, vars, names = NULL)
```

Arguments

data	a dataframe with the categorical column to convert
vars	a character vector of column names to convert
names	a character vector of names for the created variables

Value

original dataframe containing new columns of the converted variables with tidyverse code attached

Author(s)

Zhaoming Su

See Also[code](#)**Examples**

```
converted <- convert_to_cat(iris, vars = c("Petal.Width"))
cat(code(converted))
head(converted)
```

convert_to_date	<i>Convert variables to dates</i>
-----------------	-----------------------------------

Description

Convert variables to dates

Usage

```
convert_to_date(data, vars, ord = NULL, names = NULL)
```

Arguments

data	a dataframe with the variables to convert
vars	a character vector of column names to convert
ord	a character vector of date-time formats
names	a character vector of names for the created variables

Value

original dataframe containing new columns of the converted variables with tidyverse code attached

Author(s)

Zhaoming Su

See Also[code](#)

convert_to_datetime *Convert variables to date-time*

Description

Convert variables to date-time

Usage

```
convert_to_datetime(data, vars, ord = NULL, names = NULL, tz = "")
```

Arguments

data	a dataframe with the variables to convert
vars	a character vector of column names to convert
ord	a character vector of date-time formats
names	a character vector of names for the created variables
tz	a time zone name (default: local time zone). See OlsonNames

Value

original dataframe containing new columns of the converted variables with tidyverse code attached

Author(s)

Zhaoming Su

See Also

[code](#)

create_varname *Create variable name*

Description

Convert a given string to a valid R variable name, converting spaces to underscores (`_`) instead of dots.

Usage

```
create_varname(x)
```

Arguments

x	a string to convert
---	---------------------

Value

a string, which is also a valid variable name

Author(s)

Tom Elliott

Examples

```
create_varname("a new variable")
create_varname("8d4-2q5")
```

create_vars

Create new variables

Description

Create new variables by using valid R expressions and returns the result along with tidyverse code used to generate it.

Usage

```
create_vars(data, vars = ".new_var", vars_expr = NULL)
```

Arguments

data	a dataframe to which to add new variables to
vars	a character of the new variable names
vars_expr	a character of valid R expressions which can generate vectors of values

Value

original dataframe containing the new columns created from vars_expr with tidyverse code attached

Author(s)

Zhaoming Su

See Also

[code](#)

Examples

```
created <- create_vars(  
  data = iris,  
  vars = "Sepal.Length_less_Sepal.Width",  
  "Sepal.Length - Sepal.Width"  
)  
cat(code(created))  
head(created)
```

`delete_vars`*Delete variables*

Description

Delete variables from a dataset

Usage

```
delete_vars(data, vars = NULL)
```

Arguments

<code>data</code>	dataset
<code>vars</code>	variable names to delete

Value

dataset without chosen variables

Author(s)

Zhaoming Su

`extract_dt_comp`*Extract date component from a date-time variable*

Description

This function extracts a specific date component from a date-time variable in a dataframe.

Usage

```
extract_dt_comp(data, var, comp, name = NULL)
```

Arguments

data	The dataframe containing the date-time variable.
var	The name of the date-time variable to extract the component.
comp	The date component wanted from the variable. See <code>inZightTools::inz_dt_comp</code> for the full list of components.
name	The name of the new column to store the extracted date component.

Value

A dataframe with the new date component column.

Author(s)

Zhaoming Su

extract_part	<i>Extract part of a datetimes variable (DEPRECATED)</i>
--------------	--

Description

This function has been replaced by ‘extract_dt_comp’ and will be removed in the next release.

Usage

```
extract_part(.data, varname, part, name)
```

Arguments

.data	dataframe
varname	name of the variable
part	part of the variable wanted
name	name of the new column

Value

see ‘extract_dt_comp’

filter	<i>Filter</i>
--------	---------------

Description

Filter
Filter inzdf

Usage

```
## S3 method for class 'inzdf_db'
filter(.data, ..., table = NULL, .preserve = FALSE)
```

Arguments

.data	A data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr). See <i>Methods</i> , below, for more details.
...	<data-masking> Expressions that return a logical value, and are defined in terms of the variables in .data. If multiple expressions are included, they are combined with the & operator. Only rows for which all conditions evaluate to TRUE are kept.
table	name of the table to use, defaults to first in list
.preserve	ignored

filter_cat	<i>Filter data by levels of categorical variables</i>
------------	---

Description

This function filters a dataframe or survey design object by keeping only the rows where a specified categorical variable matches one of the given levels. The resulting filtered dataframe is returned, along with the tidyverse code used to generate it.

Usage

```
filter_cat(data, var, levels)
```

Arguments

data	A dataframe or survey design object to be filtered.
var	The name of the column in data to be filtered by.
levels	A character vector of levels in var to keep.

Value

A filtered dataframe with the tidyverse code attached.

Author(s)

Owen Jin, Zhaoming Su

See Also

[code](#)

Examples

```
filtered <- filter_cat(iris,
  var = "Species",
  levels = c("versicolor", "virginica")
)
cat(code(filtered))
head(filtered)
```

filter_num

Filter data by levels of numeric variables

Description

This function filters a dataframe or survey design object by applying a specified boolean condition to one of its numeric variables. The resulting filtered dataframe is returned, along with the tidyverse code used to generate it.

Usage

```
filter_num(data, var, op = c("<=", "<", ">=", ">", "==", "!="), num)
```

Arguments

data	A dataframe or survey design object to be filtered.
var	The name of the column in data to be filtered by.
op	A logical operator to apply for the filtering condition. Valid options are: "<=", "<", ">=", ">", "==", or "!=".
num	The numeric value for which the specified op is applied.

Value

A filtered dataframe with the tidyverse code attached.

Author(s)

Owen Jin, Tom Elliott, Zhaoming Su

See Also

[code](#)

Examples

```
filtered <- filter_num(iris, var = "Sepal.Length", op = "<=", num = 5)
cat(code(filtered))
head(filtered)

library(survey)
data(api)
svy <- svydesign(~ dnum + snum,
  weights = ~pw, fpc = ~ fpc1 + fpc2,
  data = apiclus2
)
svy_filtered <- filter_num(svy, var = "api00", op = "<", num = 700)
cat(code(svy_filtered))
```

fitDesign

Fit a survey design

Description

Fit a survey design to an object

Usage

```
fitDesign(svydes, dataset.name)
```

Arguments

svydes	a design
dataset.name	a dataset name

Value

a survey object

Author(s)

Tom Elliott

fitModel

*Fit models***Description**

Wrapper function for 'lm', 'glm', and 'svyglm'.

Usage

```
fitModel(
  y,
  x,
  data,
  family = "gaussian",
  link = switch(family, gaussian = "gaussian", binomial = "logit", poisson = "log",
    negbin = "log"),
  design = "simple",
  svydes = NA,
  surv_params = NULL,
  ...
)
```

Arguments

y	character string representing the response,
x	character string of the explanatory variables,
data	name of the object containing the data.
family	gaussian, binomial, poisson (so far, no others will be added)
link	the link function to use
design	data design specification. one of 'simple', 'survey' or 'experiment'
svydes	a vector of arguments to be passed to the svydesign function, excluding data (defined above)
surv_params	a vector containing arguments for survival::Surv()
...	further arguments to be passed to lm, glm, svyglm, such as offset, etc.

Value

A model call formula (using lm, glm, or svyglm)

Author(s)

Tom Elliott

 form_class_intervals *Form Class Intervals*

Description

This function creates categorical intervals from a numeric variable in the given dataset.

Usage

```
form_class_intervals(
  data,
  variable,
  method = c("equal", "width", "count", "manual"),
  n_intervals = 4L,
  interval_width,
  format = "(a,b]",
  range = NULL,
  format_lowest = ifelse(isinteger, "< a", "<= a"),
  format_highest = "> b",
  break_points = NULL,
  name = sprintf("%s.f", variable)
)
```

Arguments

data	A dataset or a survey object.
variable	The name of the numeric variable to convert into intervals.
method	The method used to create intervals: <ul style="list-style-type: none"> • 'equal' for equal-width intervals, • 'width' for intervals of a specific width, • 'count' for equal-count intervals, and • 'manual' to specify break points manually.
n_intervals	For methods 'equal' and 'count', this specifies the number of intervals to create.
interval_width	For method 'width', this sets the width of the intervals.
format	The format for interval labels; use 'a' and 'b' to represent the min/max of each interval, respectively.
range	The range of the data; use this to adjust the labels (e.g., for continuous data, set this to the floor/ceiling of the min/max of the data to get prettier intervals). If range does not cover the range of the data, values outside will be placed into 'less than a' and 'greater than b' categories.
format_lowest	Label format for values lower than the min of range.
format_highest	Label format for values higher than the max of range.
break_points	For method 'manual', specify breakpoints here as a numeric vector.
name	The name of the new variable in the resulting data set.

Value

A dataframe with an additional column containing categorical class intervals.

Author(s)

Tom Elliott, Zhaoming Su

Examples

```
form_class_intervals(iris, "Sepal.Length", "equal", 5L)
```

inzdf	<i>iNZight data frame object</i>
-------	----------------------------------

Description

This object allows the data to be either a standard R data.frame or a connection to a database.

Usage

```
inzdf(x, name, ...)

## S3 method for class 'tbl_df'
inzdf(x, name, ...)

## S3 method for class 'data.frame'
inzdf(x, name, ...)

## S3 method for class 'SQLiteConnection'
inzdf(
  x,
  name = deparse(substitute(x)),
  schema = NULL,
  var_attrs = list(),
  dictionary = NULL,
  keep_con = FALSE,
  ...
)
```

Arguments

x	a data.frame or db connection
name	the name of the data
...	additional arguments passed to methods
schema	a list specifying the schema of the database (used for linking)
var_attrs	nested list of variables attributes for each table > variable
dictionary	an inzdict object
keep_con	if 'TRUE' data will remain in DB (use for very large data)

Details

TODO: It is possible to specify a linking structure between multiple datasets, and when variables are selected the dataset will be linked 'on-the-fly'. This, when used with databases, will significantly reduce the size of data in memory.

Value

an inzdf object

is_cat	<i>Is factor check</i>
--------	------------------------

Description

This function checks if a variable a factor.

Usage

```
is_cat(x)
```

Arguments

x the variable to check

Value

logical, TRUE if the variable is a factor

Author(s)

Tom Elliott

is_dt	<i>Is datetime check</i>
-------	--------------------------

Description

This function checks if a variable a date/time/datetime

Usage

```
is_dt(x)
```

Arguments

x the variable to check

Value

logical, TRUE if the variable is a datetime

Author(s)

Tom Elliott

is_num	<i>Is numeric check</i>
--------	-------------------------

Description

This function checks if a variable is numeric, or could be considered one. For example, dates and times can be treated as numeric, so return TRUE.

Usage

```
is_num(x)
```

Arguments

x the variable to check

Value

logical, TRUE if the variable is numeric

Author(s)

Tom Elliott

is_preview	<i>Is Preview</i>
------------	-------------------

Description

Checks if the complete file was read or not.

Usage

```
is_preview(df)
```

Arguments

df data to check

Value

logical

is_survey	<i>Check if object is a survey object (either standard or replicate design)</i>
-----------	---

Description

Check if object is a survey object (either standard or replicate design)

Usage

```
is_survey(x)
```

Arguments

x	object to be tested
---	---------------------

Value

logical

Author(s)

Tom Elliott

is_svydesign	<i>Check if object is a survey object (created by svydesign())</i>
--------------	--

Description

Check if object is a survey object (created by svydesign())

Usage

```
is_svydesign(x)
```

Arguments

x	object to be tested
---	---------------------

Value

logical

Author(s)

Tom Elliott

is_svyrep	<i>Check if object is a replicate survey object (created by svrepdesign())</i>
-----------	--

Description

Check if object is a replicate survey object (created by svrepdesign())

Usage

```
is_svyrep(x)
```

Arguments

x object to be tested

Value

logical

Author(s)

Tom Elliott

join_data	<i>Join data with another dataset</i>
-----------	---------------------------------------

Description

Join data with another dataset

Usage

```
join_data(  
  data_l,  
  data_r,  
  by = NULL,  
  how = c("inner", "left", "right", "full", "anti", "semi"),  
  suffix_l = ".x",  
  suffix_r = ".y"  
)
```

Arguments

data_l	original data
data_r	imported dataset
by	a character vector of variables to join by
how	the method used to join the datasets
suffix_l	suffix for the original dataset (ignored for filter-joins)
suffix_r	suffix for the imported dataset (ignored for filter-joins)

Value

joined dataset

Author(s)

Zhaoming Su

See Also

[code](#), [mutate-joins](#), [filter-joins](#)

load_linked

Import linked data into an inzdf object

Description

Import linked data into an inzdf object

Usage

```
load_linked(  
  x,  
  schema,  
  con,  
  name = ifelse(missing(con), deparse(substitute(x)), deparse(substitute(con))),  
  keep_con = FALSE,  
  progress = FALSE,  
  ...  
)
```

Arguments

x	a linked specification file or vector of data set paths
schema	a list describing the schema/relationships between the files
con	a database connection to load the linked data into
name	the name of the data set collection
keep_con	if TRUE data will remain in DB (use for very large data)
progress	either TRUE or FALSE to enable/disable the default progress bar, or a list of three functions to <code>x <- create(from, to)</code> , <code>set(x, i)</code> , and <code>destroy(x)</code> a progress bar.
...	additional arguments passed to data reading function <code>smart_read()</code>

Value

an `inzdf` object

load_rda	<i>Load object(s) from an Rdata file</i>
----------	--

Description

Load object(s) from an Rdata file

Usage

```
load_rda(file)
```

Arguments

file	path to an rdata file
------	-----------------------

Value

list of data frames, plus code

Author(s)

Tom Elliott

See Also

[save_rda](#)

make_names	<i>Make unique variable names</i>
------------	-----------------------------------

Description

Helper function to create new variable names that are unique given a set of existing names (in a data set, for example). If a variable name already exists, a number will be appended.

Usage

```
make_names(new, existing = character())
```

Arguments

new	a vector of proposed new variable names
existing	a vector of existing variable names

Value

a vector of unique variable names

Author(s)

Tom Elliott

Examples

```
make_names(c("var_x", "var_y"), c("var_x", "var_z"))
```

missing_to_cat	<i>Convert missing values to categorical variables</i>
----------------	--

Description

Turn <NA> in categorical variables into "(Missing)"; numeric variables will be converted to categorical variables where numeric values as "(Observed)" and NA as "(Missing)".

Usage

```
missing_to_cat(data, vars, names = NULL)
```

Arguments

data	a dataframe with the columns to convert its missing values into categorical
vars	a character vector of the variables in data for conversion of missing values
names	a character vector of names for the new variables

Value

original dataframe containing new columns of the converted variables for the missing values with tidyverse code attached

Author(s)

Zhaoming Su

See Also

[code](#)

Examples

```
missing <- missing_to_cat(iris, vars = c("Species", "Sepal.Length"))
cat(code(missing))
head(missing)
```

newdevice

Open a New Graphics Device

Description

Opens a new graphics device

Usage

```
newdevice(width = 7, height = 7, ...)
```

Arguments

width	the width (in inches) of the new device
height	the height (in inches) of the new device
...	additional arguments passed to the new device function

Details

Depending on the system, different devices are better. The windows device works fine (for now), only attempt to speed up any other devices that we're going to be using. We speed them up by getting rid of buffering.

Author(s)

Tom Elliott

Not In operator	<i>Anti value matching</i>
-----------------	----------------------------

Description

Anti value matching

Usage

x %notin% table

Arguments

x	vector of values to be matched
table	vector of values to match against

Value

A logical vector of same length as 'x', indicating if each element does **not** exist in the table.

Or NULL operator	<i>NULL or operator</i>
------------------	-------------------------

Description

NULL or operator

Usage

a %||% b

Arguments

a	an object, potentially NULL
b	an object

Value

a if a is not NULL, otherwise b

print_code	<i>Tidy-printing of the code attached to an object</i>
------------	--

Description

Tidy-printing of the code attached to an object

Usage

```
print_code(x, ...)
```

Arguments

x	a dataframe with code attached
...	additional arguments passed to tidy_all_code()

Value

Called for side-effect of printing code to the console.

Examples

```
iris_agg <- aggregate_data(iris, group_vars = "Species", summaries = "mean")
print_code(iris_agg)
```

random_sample	<i>Random sampling without replacement</i>
---------------	--

Description

Take a specified number of groups of observations with fixed group size by sampling without replacement and returns the result along with tidyverse code used to generate it.

Usage

```
random_sample(data, n, sample_size)
```

Arguments

data	a dataframe to sample from
n	the number of groups to generate
sample_size	the size of each group specified in n

Value

a dataframe containing the random samples with tidyverse code attached

Author(s)

Owen Jin, Zhaoming Su

See Also

[code](#)

Examples

```
rs <- random_sample(iris, n = 5, sample_size = 3)
cat(code(rs))
head(rs)
```

rank_vars

Rank the data of numeric variables

Description

Rank the values of numeric variables, for example, in descending order, and then returns the result along with tidyverse code used to generate it. See [row_number](#) and [percent_rank](#).

Usage

```
rank_vars(data, vars, rank_type = c("min", "dense", "percent"))
```

Arguments

data a dataframe with the variables to rank
vars a character vector of numeric variables in data to rank
rank_type either "min", "dense" or "percent", see [row_number](#), [percent_rank](#)

Value

the original dataframe containing new columns with the ranks of the variables in vars with tidyverse code attached

Author(s)

Zhaoming Su

See Also

[code](#)

Examples

```
ranked <- rank_vars(iris, vars = c("Sepal.Length", "Petal.Length"))
cat(code(ranked))
head(ranked)
```

read_dictionary

Data Dictionaries

Description

This function reads a data dictionary from a file and attaches it to a dataset. The attached data dictionary provides utility functions that can be used by other methods, such as plots, to automatically create axes and more.

Usage

```
read_dictionary(
  file,
  name = "name",
  type = "type",
  title = "title",
  description = "description",
  units = "units",
  codes = "codes",
  values = "values",
  level_separator = "|",
  ...
)

## S3 method for class 'dictionary'
print(x, kable = FALSE, include_other = TRUE, ...)

## S3 method for class 'dictionary'
x[i, ...]

apply_dictionary(data, dict)

has_dictionary(data)

get_dictionary(data)
```

Arguments

file The path to the file containing the data dictionary.

name The name of the column containing the variable name.

type	The name of the column containing the variable type.
title	The name of the column containing a short, human-readable title for the variable. If blank, the variable name will be used instead.
description	The name of the column containing the variable description.
units	The name of the column containing units (for numeric variables only).
codes	The name of the column containing factor codes (for categorical variables only).
values	The name of the column containing factor values corresponding to the codes. These should be in the same order as the codes.
level_separator	The separator used to separate levels in codes and values columns. The default separator is " ". Alternatively, you can provide a vector of length 2, where the first element is used for codes and the second element for values.
...	Additional arguments, passed to smart_read.
x	A dictionary object.
kable	If TRUE, the output will be formatted using kable.
include_other	If TRUE, additional variables will be included in the output.
i	Subset index.
data	A dataset (dataframe, tibble).
dict	A dictionary (created using read_dictionary()).

Value

The dataset with the attached data dictionary.

read_meta	<i>Read CSV with iNZight metadata</i>
-----------	---------------------------------------

Description

This function will read a CSV file with iNZight metadata in the header. This allows plain text CSV files to be supplied with additional comments that describe the structure of the data to make import and data handling easier.

Usage

```
read_meta(file, preview = FALSE, column_types, ...)
```

Arguments

file	the plain text file with metadata
preview	logical, if TRUE only the first 10 rows are returned
column_types	optional column types
...	more arguments

Details

The main example is to define factor levels for an integer variable in large data sets.

Value

a data frame

Author(s)

Tom Elliott

read_text

Read text as data

Description

The text can also be the value "clipboard" which will use `readr::clipboard()`.

Usage

```
read_text(txt, delim = "\t", ...)
```

Arguments

txt	character string
delim	the delimiter to use, passed to <code>readr::read_delim()</code>
...	additional arguments passed to <code>readr::read_delim()</code>

Value

data.frame

Author(s)

Tom Elliott

remove_rows	<i>Remove rows from data by row numbers</i>
-------------	---

Description

This function filters a dataframe or a survey design object by removing specified rows based on the provided row numbers. The resulting filtered dataframe is returned, along with the tidyverse code used to generate it.

Usage

```
remove_rows(data, rows)
```

Arguments

data	A dataframe or a survey design object to be filtered.
rows	A numeric vector of row numbers to be sliced off.

Value

A filtered dataframe with the tidyverse code attached.

Author(s)

Owen Jin, Zhaoming Su

See Also

[code](#)

Examples

```
data <- remove_rows(iris, rows = c(1, 4, 5))  
cat(code(data))  
head(data)
```

rename_levels	<i>Rename the levels of a categorical variable</i>
---------------	--

Description

Rename the levels of a categorical variables, and returns the result along with tidyverse code used to generate it.

Usage

```
rename_levels(data, var, tobe_asis, name = NULL)
```

Arguments

data	a dataframe with the column to be renamed
var	a character of the categorical variable to rename
tobe_asis	a named list of the old level names assigned to the new level names ie. list('new level names' = 'old level names')
name	a name for the new variable

Value

original dataframe containing a new column of the renamed categorical variable with tidyverse code attached

Author(s)

Zhaoming Su

See Also

[code](#)

Examples

```
renamed <- rename_levels(iris,  
  var = "Species",  
  tobe_asis = list(set = "setosa", ver = "versicolor")  
)  
cat(code(renamed))  
head(renamed)
```

rename_vars	<i>Rename column names</i>
-------------	----------------------------

Description

Rename columns of a dataset with desired names

Usage

```
rename_vars(data, tobe_asis)
```

Arguments

data	a dataframe with columns to rename
tobe_asis	a named list of the old column names assigned to the new column names ie. list('new column names' = 'old column names')

Value

original dataframe containing new columns of the renamed columns with tidyverse code attached

Author(s)

Zhaoming Su

See Also

[code](#)

Examples

```
renamed <- rename_vars(iris, list(
  sepal_length = "Sepal.Length",
  sepal_width = "Sepal.Width",
  petal_length = "Petal.Length",
  petal_width = "Petal.Width"
))
cat(code(renamed))
head(renamed)
```

reorder_levels	<i>Reorder the levels of a categorical variable</i>
----------------	---

Description

Reorder the levels of a categorical variable either manually or automatically

Usage

```
reorder_levels(  
  data,  
  var,  
  new_levels = NULL,  
  auto = c("freq", "order", "seq"),  
  name = NULL  
)
```

Arguments

data	a dataframe to reorder
var	a categorical variable to reorder
new_levels	a character vector of the new factor order; overrides auto if not NULL
auto	only meaningful if new_levels is NULL: the method to auto-reorder the levels, see fct_inorder
name	name for the new variable

Value

original dataframe containing a new column of the reordered categorical variable with tidyverse code attached

Author(s)

Zhaoming Su

See Also

[code](#)

Examples

```
reordered <- reorder_levels(iris,  
  var = "Species",  
  new_levels = c("versicolor", "virginica", "setosa")  
)  
cat(code(reordered))  
head(reordered)
```

```
reordered <- reorder_levels(iris,  
  var = "Species",  
  auto = "freq"  
)  
cat(code(reordered))  
head(reordered)
```

reshape_data

Reshaping dataset from wide to long or from long to wide

Description

Reshaping dataset from wide to long or from long to wide

Usage

```
reshape_data(  
  data,  
  data_to = c("long", "wide"),  
  cols,  
  names_to = "name",  
  values_to = "value",  
  names_from = "name",  
  values_from = "value"  
)
```

Arguments

data	a dataset to reshape
data_to	whether the target dataset is long or wide
cols	columns to gather together (for wide to long)
names_to	name for new column containing old names (for wide to long)
values_to	name for new column containing old values (for wide to long)
names_from	column to spread out (for long to wide)
values_from	values to be put in the spread columns (for long to wide)

Value

reshaped dataset

Author(s)

Zhaoming Su

save_rda	<i>Save an object with, optionally, a (valid) name</i>
----------	--

Description

Save an object with, optionally, a (valid) name

Usage

```
save_rda(data, file, name)
```

Arguments

data	the data frame to save
file	where to save it
name	optional, the name the data will have in the rda file

Value

logical, should be TRUE, along with code for the save

Author(s)

Tom Elliott

See Also

[load_rda](#)

select	<i>Select</i>
--------	---------------

Description

Select

select_vars	<i>Select variables from a dataset</i>
-------------	--

Description

Select a (reordered) subset of variables from a subset.

Usage

```
select_vars(data, keep)
```

Arguments

data	the dataset
keep	vector of variable names to keep

Value

a data frame with tidyverse code attribute

Author(s)

Tom Elliott, Zhaoming Su

Examples

```
select_vars(iris, c("Sepal.Length", "Species", "Sepal.Width"))
```

separate_var	<i>Separate columns</i>
--------------	-------------------------

Description

Separate columns

Usage

```
separate_var(data, var, by, names, into = c("cols", "rows"))
```

Arguments

data	dataset
var	name of variable to be separated
by	a string as delimiter between values (separate by delimiter) or integer(s) as number of characters to split by (separate by position), the length of by should be 1 unless by is integer and into = "cols"; if by is a non-integer numeric vector its values will be rounded down to the nearest integer
names	for into = "cols", a character vector of output column names; use NA if there are components that you don't want to appear in the output; the number of non-NA elements determines the number of new columns in the result
into	whether to split into new rows or columns

Value

Separated dataset

Author(s)

Zhaoming Su

sheets *List available sheets within a file*

Description

Useful when reading an Excel file to quickly check what other sheets are available.

Usage

```
sheets(x)
```

Arguments

x a dataframe, presumably returned by smart_read

Value

vector of sheet names, or NULL if the file was not an Excel workbook

Author(s)

Tom Elliott

Examples

```
cas_file <- system.file("extdata/cas500.xls", package = "iNZightTools")
cas <- smart_read(cas_file)
sheets(cas)
```

smart_read	<i>Read a data file</i>
------------	-------------------------

Description

A simple function that imports a file without the users needing to specify information about the file type (see Details for more). The `smart_read()` function uses the file's extension to determine the appropriate function to read the data. Additionally, characters are converted to factors by default, mostly for compatibility with iNZight (<https://inzight.nz>).

Usage

```
smart_read(  
  file,  
  ext = tools::file_ext(file),  
  preview = FALSE,  
  column_types = NULL,  
  ...  
)
```

Arguments

<code>file</code>	the file path to read
<code>ext</code>	file extension, namely "csv" or "txt"
<code>preview</code>	logical, if TRUE only the first few rows of the data will be returned
<code>column_types</code>	vector of column types (see <code>?readr::read_csv</code>)
<code>...</code>	additional parameters passed to <code>read_*</code> functions

Details

Currently, `smart_read()` understands the following file types:

- delimited (.csv, .txt)
- Excel (.xls, .xlsx)
- SPSS (.sav)
- Stata (.dta)
- SAS (.sas7bdat, .xpt)
- R data (.rds)
- JSON (.json)

Value

A dataframe with some additional attributes:

- name is the name of the file
- code contains the 'tidyverse' code used to read the data
- sheets contains names of sheets if 'file' is an Excel file (can be retrieved using the sheets() helper function)

Reading delimited files

By default, smart_read() will detect the delimiter used in the file if the argument delimiter = NULL is passed in (the default). If this does not work, you can override this argument:

```
smart_read('path/to/file', delimiter = '+')
```

Author(s)

Tom Elliott

sort_vars

Sort data by variables

Description

Sorts a dataframe by one or more variables, and returns the result along with tidyverse code used to generate it.

Usage

```
sort_vars(data, vars, asc = rep(TRUE, length(vars)))
```

Arguments

data	a dataframe to sort
vars	a character vector of variable names to sort by
asc	logical, length of 1 or same length as vars. If TRUE (default), then sorted in ascending order, otherwise descending.

Value

data with tidyverse code attached

Author(s)

Owen Jin, Zhaoming Su

See Also[code](#)**Examples**

```
sorted <- sort_vars(iris,
  vars = c("Sepal.Width", "Sepal.Length"),
  asc = c(TRUE, FALSE)
)
cat(code(sorted))
head(sorted)
```

standardize_vars	<i>Standardize the data of a numeric variable</i>
------------------	---

Description

Centre then divide by the standard error of the values in a numeric variable

Usage

```
standardize_vars(data, vars, names = NULL)
```

Arguments

data	a dataframe with the columns to standardize
vars	a character vector of the numeric variables in data to standardize
names	names for the created variables

Value

the original dataframe containing new columns of the standardized variables with tidyverse code attached

Author(s)

Zhaoming Su

See Also[code](#)**Examples**

```
standardized <- standardize_vars(iris, var = c("Sepal.Width", "Petal.Width"))
cat(code(standardized))
head(standardized)
```

survey_IQR	<i>Interquartile range function for surveys</i>
------------	---

Description

Calculates the interquartile range from complex survey data. A wrapper for taking differences of `svyquantile` at 0.25 and 0.75 quantiles, and meant to be called from within `summarize` (see [`svyr`](#) package).

Usage

```
survey_IQR(x, na.rm = TRUE)
```

Arguments

<code>x</code>	A variable or expression
<code>na.rm</code>	logical, if TRUE missing values are removed

Value

a vector of interquartile ranges

Author(s)

Tom Elliott

Examples

```
library(survey)
library(srvyr)
data(api)

dstrata <- apistrat %>%
  as_survey(strata = stype, weights = pw)

dstrata %>%
  summarise(api99_iqr = survey_IQR(api99))
```

tidy_all_code	<i>iNZight Tidy Code</i>
---------------	--------------------------

Description

Tidy code with correct indents and limit the code to the specific width

Usage

```
tidy_all_code(x, width = 80, indent = 4, outfile, incl_library = TRUE)
```

Arguments

x	character string or file name of the file containing messy code
width	the width of a line
indent	how many spaces for one indent
outfile	the file name of the file containing formatted code
incl_library	logical, if true, the output code will contain library name

Value

formatted code, optionally written to 'outfile'

Author(s)

Tom Elliott, Lushi Cai

transform_vars	<i>Transform data of numeric variables</i>
----------------	--

Description

Transform the values of numeric variables by applying a mathematical function

Usage

```
transform_vars(data, vars, fn, names = NULL)
```

Arguments

data	a dataframe with the variables to transform
vars	a character of the numeric variables in data to transform
fn	the name (a string) of a valid R function
names	the names of the new variables

Value

the original dataframe containing the new columns of the transformed variable with tidyverse code attached

Author(s)

Zhaoming Su

See Also

[code](#)

Examples

```
transformed <- transform_vars(iris,
  var = "Petal.Length",
  fn = "log"
)
cat(code(transformed))
head(transformed)
```

validation_details *Details of Validation Rule Results*

Description

Generates the more detailed text required for the details section in `inZValidateWin`.

Usage

```
validation_details(cf, v, var, id.var, df)
```

Arguments

<code>cf</code>	Confrontation object from <code>validate::confront()</code>
<code>v</code>	Validator that generated <code>cf</code>
<code>var</code>	Rule name to give details about
<code>id.var</code>	Variable name denoting a unique identifier for each observation
<code>df</code>	The dataset that was confronted

Value

A character vector giving each line of the summary detail text

Author(s)

Daniel Barnett

validation_summary	<i>Validation Confrontation Summary</i>
--------------------	---

Description

Generates a summary of a confrontation which gives basic information about each validation rule tested.

Usage

```
validation_summary(cf)
```

Arguments

cf Confrontation object from `validate::confront()`

Value

A `data.frame` with number of tests performed, number of passes, number of failures, and failure percentage for each validation rule.

Author(s)

Daniel Barnett

var_type	<i>Get variable type name</i>
----------	-------------------------------

Description

Get variable type name

Usage

```
var_type(x)
```

Arguments

x vector to be examined

Value

character vector of the variable's type

Author(s)

Tom Elliott

`vartypes`*Get all variable types from data object*

Description

Get all variable types from data object

Usage

```
vartypes(x)
```

Arguments

`x` data object (data.frame or inzdf)

Value

a named vector of variable types

Index

[.dictionary (read_dictionary), 32
%notin% (Not In operator), 29

add_suffix, 3
aggregate_data, 4, 5
aggregate_dt (aggregate_data), 4
append_rows, 6
apply_dictionary (read_dictionary), 32

code, 5, 7, 8, 10–12, 16, 17, 25, 28, 31, 35–38, 45, 48
collapse_cat, 7
combine_vars, 8
convert_to_cat, 9
convert_to_date, 10
convert_to_datetime, 11
create_varname, 11
create_vars, 12

delete_vars, 13

extract_dt_comp, 13
extract_part, 14

fct_inorder, 38
filter, 15
filter_cat, 15
filter_num, 16
fitDesign, 17
fitModel, 18
form_class_intervals, 19

get_dictionary (read_dictionary), 32

has_dictionary (read_dictionary), 32

inzdf, 20
is_cat, 21
is_dt, 21
is_num, 22
is_preview, 22

is_survey, 23
is_svydesign, 23
is_svyrep, 24

join_data, 24

load_linked, 25
load_rda, 26, 40

make_names, 27
missing_to_cat, 27

newdevice, 28
Not In operator, 29

OlsonNames, 11
Or NULL operator, 29

percent_rank, 31
print_dictionary (read_dictionary), 32
print_code, 30

random_sample, 30
rank_vars, 31
read_dictionary, 32
read_meta, 33
read_text, 34
remove_rows, 35
rename_levels, 36
rename_vars, 37
reorder_levels, 38
reshape_data, 39
row_number, 31

save_rda, 26, 40
select, 40
select_vars, 41
separate_var, 41
sheets, 42
smart_read, 43
sort_vars, 44

srvyr, [46](#)
standardize_vars, [45](#)
survey_IQR, [46](#)

tidy_all_code, [47](#)
transform_vars, [47](#)

validation_details, [48](#)
validation_summary, [49](#)
vartype, [49](#)
vartypes, [50](#)